

## Contents of Volume 162

Vol. 162 Nos. 1–3

|  |     |
|--|-----|
| Effect of additives on biodegradation of PAH in soils<br>T. Sobisch, H. Heß, H. Niebelschütz and U. Schmidt (Berlin, Germany) . . . . .  | 1   |
| Adsolubilization of anthracene on surfactant covered silica in dependence on pH: indications for different adsolubilization in admicelles and hemimicelles<br>T. Behrends and R. Herrmann (Bayreuth, Germany). . . . .   | 15  |
| A common theoretical basis for surface forces apparatus, osmotic stress, and beam bending measurements of surface forces<br>L.J.D. Frink and F. van Swol (Albuquerque, NM, USA) . . . . .  | 25  |
| Zeta potentials of monodispersed, spherical silica particles in mixed solvents as a function of cesium chloride concentration<br>M. Kosmulski, P. Eriksson, C. Brancewicz and J.B. Rosenholm (Åbo, Finland). . . . .   | 37  |
| Ion exchange of alkaline earth and transition metal ions on fibrous acrylonitrile based cerium (IV) phosphate—a kinetic study<br>K.G. Varshney and N. Tayal (Aligarh, India). . . . .  | 49  |
| Slippage during the flow of emulsions in rheometers<br>R. Pal (Waterloo, Ont., Canada) . . . . .   | 55  |
| Dynamic scaling and fractal structure of small colloidal clusters<br>M. Tirado-Miranda, A. Schmitt, J. Callejas-Fernández (Granada, Spain) and A. Fernández-Barbero (Almería, Spain). . . . .  | 67  |
| Dynamic desorption of macromolecules from solid surfaces by low-molecular-weight displacers<br>S.H. Nguyen and D. Berek (Bratislava, Slovakia) . . . . .   | 75  |
| Interaction of 2-amino, 3-amino and 4-aminopyridines with nickel and cobalt ferrocyanides<br>T. Alam and Kamaluddin (Roorkee, India) . . . . .   | 89  |
| Surface modification of alumina by metal doping<br>A.K. Khattak (Dera Ismail Khan, Pakistan), M. Afzal, M. Saleem, G. Yasmeen and R. Ahmad (Islamabad, Pakistan) . . . . .   | 99  |
| Molar mass selectivity in the adsorption of polyacrylates on calcite<br>C. Geffroy, J. Persello, A. Foissy (Besançon, France), P. Lixon, F. Tournilhac and B. Cabane (Gif sur Yvette, France) . . . . .  | 107 |
| Use of wide and small angle X-ray diffraction to study the modifications in the stratum corneum induced by octyl glucoside<br>O. López, M. Cócera, L. Campos, A. de la Maza, L. Coderch and J.L. Parra (Barcelona, Spain) . . . . .                                | 123 |
| Solubilization of stratum corneum lipid liposomes by C <sub>14</sub> -betaine/sodium dodecyl sulfate mixtures. Influence of the level of ceramides in the solubilization process<br>O. Lopez, M. Cócera, J.L. Parra and A. de la Maza (Barcelona, Spain) . . . . . | 131 |
| A study of dual polymer flocculation<br>A. Fan, N.J. Turro and P. Somasundaran (New York, NY, USA) . . . . .   | 141 |
| Self-assembly structures of nonionic surfactants at graphite–solution interfaces. 2. Effect of polydispersity and alkyl chain branching<br>H.N. Patrick and G.G. Warr (Sydney, Australia). . . . .   | 149 |
| Light scattering study of structure of dispersion particles based on ethyl acrylate-methacrylic acid copolymers<br>L. Mrkvíčková, Z. Walterová, P. Bradna, O. Quadrat (Prague, Czech Republic) and J. Šnupárek (Pardubice, Czech Republic) . . . . .               | 159 |
| Mechanistic modeling of chromate adsorption onto goethite<br>R. Weerasooriya and H.J. Tobschall (Erlangen, Germany) . . . . .  | 167 |
| Rheology of titanium oxide based gels: determination of gelation time versus temperature<br>A. Ponton, S. Barboux-Doeuff and C. Sanchez (Paris, France). . . . .   | 177 |
| Relationship between surface dilational properties and foam stability<br>H. Fruhner, K.-D. Wantke and K. Lunkenheimer (Berlin, Germany) . . . . .  | 193 |
| Stepwise adsorption of a long trichlorosilane and a short aminosilane<br>B. Wu, G. Mao and K.Y.S. Ng (Detroit, MI, USA). . . . .   | 203 |
| A new approach to determination of the parameters describing liquid adsorption on the solid surfaces<br>P. Podkościelny and A. Dąbrowski (Lublin, Poland). . . . .   | 215 |
| Untypical surface properties of aqueous solutions of 1,5-pentanediol<br>J. Gliński (Wrocław, Poland), G. Chavepeyer and J.-K. Platten (Mons, Belgium) . . . . .  | 233 |
| Electrochemical studies of 1,3,7,9-tetramethyluric acid in aqueous and micellar media<br>R.N. Goyal, N. Jain and P. Gupta (Roorkee, India). . . . .  | 239 |

|   |     |
|---|-----|
| Heterogeneous dissolution of benzo(a)pyrene by surfactant solutions<br>J.-C. Dur, R. Rama, H. Parola and V. Chaplain (Cedex, France) . . . . .  | 249 |
| Effect of triazine dye on electrical conductivity and extraction of bovine serum albumin in reversed micelles formed with<br>cetyltrimethylammonium bromide<br>T.-x. Zhang, H.-z. Liu and J.-y. Chen (Beijing, People's Republic of China) . . . . .                                      | 259 |
| Relationship between interaction forces and the structural compactness of depletion flocculated colloids<br>J.L. Burns, Y.-d. Yan, G.J. Jameson and S. Biggs (Callaghan, Australia). . . . .  | 265 |
| The influence of a surfactant on the characteristics of the iron powders obtained by mechanical milling in organic media<br>S.F. Lomayeva, E.P. Yelsukov, G.N. Konygin, G.A. Dorofeev, V.I. Povstugar, S.S. Mikhailova, A.V. Zagainov and A.N.<br>Maratkanova (Izhevsk, Russia) . . . . . | 279 |
| <b>Brief notes</b>  |     |
| Effects of electrolytes and curing on freezing of ferric hydroxide sludge<br>D.S. Jean and D.J. Lee (Taipei, Taiwan, ROC). . . . .  | 285 |
| Preparation of core particles for toner application by membrane emulsification<br>Y.-K. Ha, H.-S. Song, H.-J. Lee and J.-H. Kim (Seoul, South Korea) . . . . .  | 289 |
| <i>Calendar</i> . . . . .   | 295 |
| <i>Author Index</i> . . . . .   | 297 |
| <i>Subject Index</i> . . . . .  | 299 |
| <i>Contents of Volume 162</i> . . . . .   | 301 |

